

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# Community Playthings

10 Hellbrook Lane PO Box 2, Ulster Park, New York 12487, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2019 (Credits 7.6.1, 7.6.2, 7.6.3) and CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for low emissions criteria by modified modeling parameters per AHSRAE 62.1-2010, as noted in the certificate addendum.

<sup>1</sup>Modeled as Nursery Room Furniture System

The modified modeling parameters were completed in compliance with CDPH/EHLB Standard Method V1.2, Section 8.4.2 (January 2017). A typical school classroom workstation was defined as a worksurface/desk, storage and panel components. The surface area of individual furniture components was calculated in compliance with ANSI/BIFMA M7.1-2011 R2016. All information regarding floor plans and product surface areas were supplied by Community Playthings. See addendum for modeling details and emissions criteria.

Registration # SCS-IAQ-02481

Valid from: November 01, 2024 to July 31, 2025



Diana Kirsanova Phillips, Chief Assurance Officer,  
SCS Global Services

## Certification Addendum Community Playthings

Certification: Registration # SCS-IAQ-02481 | Valid from: November 01, 2024 to July 31, 2025

### Addendum **Indoor Advantage™ Gold**

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2019 (Credits 7.6.1, 7.6.2, 7.6.3) and CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for low emissions criteria by modified modeling parameters per AHSRAE 62.1-2010, as noted in the certificate addendum.

<sup>1</sup>Modeled as Nursery Room Furniture System

The modified modeling parameters were completed in compliance with CDPH/EHLB Standard Method V1.2, Section 8.4.2 (January 2017). A typical school classroom workstation was defined as a worksurface/desk, storage and panel components. The surface area of individual furniture components was calculated in compliance with ANSI/BIFMA M7.1-2011 R2016. All information regarding floor plans and product surface areas were supplied by Community Playthings. See addendum for modeling details and emissions criteria.

### Products:

#### **Classroom Furniture:**

Art Equipment: Art Island/Easels (H500, H505, H520, H525, H820); Bulletin Board 16" x 48" (H831); Bulletin Board 32" x 48" (H832); Bulletin Board 32" x 64" (H833); Canopy A637, Creative Units/Supply Units (H551-H554, H573-H578); Drying Rack (H560); Extras Kit A639, Flow Pan A638, Large Clear Table A631, Large Turquoise Table A632, Large Storage Rack A633, Peg Tree (H559, H569); Sand & Water Table Long Legs 33" A683, Small Clear Table A634, Small Turquoise Table A635, Small Storage Rack A636, Trolley (H558);

Workbenches (H10); *Inc: replacement parts*

Block Storage: Hollow Block Cart (A451); *Inc replacement parts*

Changing Tables: G237, G238, G239

Classroom Risers: Toddler Village: Riser Square, Riser Rectangle, Riser Ramp, Riser Quarter Circle, Riser Curve, Starter Riser Kit, One-Each Riser Kit, Corner Riser Kit

Community Lofts: Community Loft Model 1 (L210, L220); Community Loft Model 2 (L310, L320); Loft Options (L137); Nursery Gyms (G700, G710, G718, G720, F730, G740, G750, G752, G753, G760, G770);

*Inc replacement parts*

## Certification Addendum Community Playthings

Certification: Registration # SCS-IAQ-02481 | Valid from: November 01, 2024 to July 31, 2025

### Addendum **Indoor Advantage™ Gold**

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2019 (Credits 7.6.1, 7.6.2, 7.6.3) and CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for low emissions criteria by modified modeling parameters per AHSRAE 62.1-2010, as noted in the certificate addendum.

<sup>1</sup>Modeled as Nursery Room Furniture System

The modified modeling parameters were completed in compliance with CDPH/EHLB Standard Method V1.2, Section 8.4.2 (January 2017). A typical school classroom workstation was defined as a worksurface/desk, storage and panel components. The surface area of individual furniture components was calculated in compliance with ANSI/BIFMA M7.1-2011 R2016. All information regarding floor plans and product surface areas were supplied by Community Playthings. See addendum for modeling details and emissions criteria.

### Products:

Cubbies and Lockers: Infant Cubby 2 (A242); Infant Cubby 2 w/ 2 Totes or Baskets (A243); Infant Cubby 4 A240, Infant Cubby 4 w/ 4 Totes or Baskets A241; Kindergarten Cubbies (A226, A228); Lockers (A742, A744, A75, A755, A76, A77, A78); Preschool Cubbies (A260, A261, A263, A264, A-266-A269, A276); Toddler Cubbies (A250, A251, A253, A254, A256-A259, A270, A273, A276, G491); Wall Mounted Cabinets (A281-A283); *Inc replacement parts*  
Dramatic Play: CarCar (P621); Childsize Dresser (C366); Drama Center (C700, C705); Rocking Boat (V43); Woodcrest Kitchen (C360-C365); Woodcrest Kitchen (F877,F878); *Inc replacement parts*  
Roomscapes Furniture System: Adjustable Gateway (F472); Adjustable Narrow Gate (F471); Adjustable Wall Anchor (F473); Arches and Flowie (C701); Canopy (F826, F831, F833, F837, F838, F871); Covers (F821-F823, F841, F843-F846, F848, F849, F851-F856, F858, F859, F879, F886-F888; Flowie, Fern (C707); Flowie, Sky Blue (C708); Flowie, Toast (C709); Narrow Gate (F481), Panels (F711-F716 F718-719, F721-F728, F731, F732, F733, F742, F743,F745, F747-F749, F769, F783-F785, F839, F901-F908, F961, F962); Posts, Fillers, and Wings (F729, F750-F759, F781, F782, F789); Roomscapes Entry (F483); Roomscapes Gateway (F482); Sets (F791-F795, F875, F876, F951-F957, F960); *Inc replacement parts*

## Certification Addendum Community Playthings

Certification: Registration # SCS-IAQ-02481 | Valid from: November 01, 2024 to July 31, 2025

### Addendum **Indoor Advantage™ Gold**

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2019 (Credits 7.6.1, 7.6.2, 7.6.3) and CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for low emissions criteria by modified modeling parameters per AHSRAE 62.1-2010, as noted in the certificate addendum.

<sup>1</sup>Modeled as Nursery Room Furniture System

The modified modeling parameters were completed in compliance with CDPH/EHLB Standard Method V1.2, Section 8.4.2 (January 2017). A typical school classroom workstation was defined as a worksurface/desk, storage and panel components. The surface area of individual furniture components was calculated in compliance with ANSI/BIFMA M7.1-2011 R2016. All information regarding floor plans and product surface areas were supplied by Community Playthings. See addendum for modeling details and emissions criteria.

### Products:

Sleep Products: Cot Cart 10 M170, Cot Cart 15 M175

Shelves: Adjustable Shelves (F602-F604, F621-F623, F631, F633, F641, F642); Book Shelves (F747, F775-F779); Corner Shelves (F671, F673, F675, G486); Dresser Storage G230, H870; Fixed Shelving (F612, F613, F643, F645, F647, F651, F652, F661, F665, F668); Island Shelves (A231, A232, F793-F795); Locking Shelves (F242, F632, F634); Montessori Shelves (F401-F404, F411-F414, F441-F446); Open Back Shelves (F611, F644, F646, F662, F667, F872); Sweep Shelving (F616, F624-F629); Toddler Book Display (F381); Tote Box Shelves (F589, F599, F681-F687, F689, F691-F697, F699, F880, F890, F981, F991, G483, G484); Tote Shelf 5' x 32" with Totes or Baskets (F588); Tote Shelf 5' x 32" w/o Totes or Baskets (F598); Translucent Back Shelves (F614, F615, F624-F629, F648, F649, F663, F664); Shelves with Doors (F632, F634) *Inc replacement parts*

Stools: Toddler Step Stool (G231); Preschool Step Stool (G232); *Inc replacement parts*



## Certification Addendum Community Playthings

Certification: Registration # SCS-IAQ-02481 | Valid from: November 01, 2024 to July 31, 2025

### Addendum **Indoor Advantage™ Gold**

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2019 (Credits 7.6.1, 7.6.2, 7.6.3) and CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for low emissions criteria by modified modeling parameters per AHSRAE 62.1-2010, as noted in the certificate addendum.

<sup>1</sup>Modeled as Nursery Room Furniture System

The modified modeling parameters were completed in compliance with CDPH/EHLB Standard Method V1.2, Section 8.4.2 (January 2017). A typical school classroom workstation was defined as a worksurface/desk, storage and panel components. The surface area of individual furniture components was calculated in compliance with ANSI/BIFMA M7.1-2011 R2016. All information regarding floor plans and product surface areas were supplied by Community Playthings. See addendum for modeling details and emissions criteria.

### Products:

Tables and Desks: Classroom Desks (A510, A520, A540); Classroom Tables(A801, A805, A811, A815, A821, A825, A831, A835, A841, A845, A851, A855, A880, A890, A930, A990); Multi-Tables (A910-A912, A914-A916, A918-A920, A938-A940, A950-A952, A958-A960); Woodcrest Tables (A221-A224, A231-A234, A241-A244); Changing Tables (G236, G270-G272, G275, G282); *Inc replacement parts*

Toddler Village: Toddler Village Units (C901-C904, C906-909, C911, C918, C919, C921, G485); Toddler Village Sets (C900, C910, C920, C930, C940, C950); *Inc replacement parts*

**SCHOOL CLASSROOM WORKSTATION (PUPIL) MODELING PARAMETERS:** Room Volume: 231 m<sup>3</sup>; Ventilation Rate: 191 m<sup>3</sup>/hr; Total Pupil Workstation Units: 27

**EMISSIONS CRITERIA:** TVOC: ≤ 500 µg/m<sup>3</sup>; Formaldehyde: ≤ 9 µg/m<sup>3</sup>; Total Aldehydes: ≤ 100 PPB; 4-Phenylcyclohexane: ≤ 0.0065 mg/m<sup>3</sup>; Individual VOCs: ≤ 1/2 CREL µg/m<sup>3</sup>